

Table of contents

CONTENTS

1. Historical background of I2C	16
2. I2C from a hardware perspective.....	18
3. Bus Architecture.....	22
3.1. Basic Terminology.....	23
4. The Basic I2C Protocol	24
4.1. Flowchart.....	25
5. Bus Events	26
5.1.1. Additional Terminology	26
5.2. Idle Bus	26
5.3. START And STOP EVENTS.....	27
5.3.1. START.....	27
5.3.2. STOP.....	27
5.4. Putting Information On The Bus.....	28
5.5. Addressing A Slave.....	29
5.5.1. The Addressing Debacle	30
5.5.2. The RULE.....	30
5.6. ACKNOWLEDGE	31
5.7. nACK or NOT ACK.....	31
5.8. Key Elements To Remember	32
5.9. Bus Stalling	32
5.10. Getting Acknowledge From The MASTER's Perspective	33
5.11. Giving Acknowledge From The MASTER's Perspective	33

5.12.	Giving not ACK From The MASTER's Perspective	33
6.	Exchanging Information.....	35
6.1.	Writing One Byte To A Slave	35
6.2.	Writing More Than One Byte To A Slave	35
6.3.	Reading One Byte From A Slave.....	36
6.4.	Reading Multiple Bytes From A Slave	37
6.5.	Determining The Slave Access Mode.....	37
6.6.	The Combined Data Format.....	38
7.	Multi Master Communication	40
7.1.	An Example	41
7.2.	Additional Testing	41
8.	Bus Synchronisation.....	42
8.1.	An Example	43
9.	Special Addresses And Exceptions.....	44
9.1.	General Call Address	44
9.1.1.	Configuration Call.....	44
9.1.2.	Interrupt Call	45
9.2.	Start Byte	45
9.3.	CBUS Address.....	45
9.4.	High speed Master Code.....	46
9.5.	10-bit Call Address	46
9.6.	Device ID	47
10.	Speed Modes	47
10.1.	Standard Mode	47
10.2.	Fast Mode	47

10.3.	Fast Mode +	48
10.4.	High Speed Mode	48
11.	Additional I2C USES	50
11.1.	SMbus	50
11.1.1.	Electrical Differences	50
11.1.2.	Speed and Timing	50
11.1.3.	Software Layer	51
11.1.4.	Application	51
11.2.	PMBUS	51
11.2.1.	Applications	52
11.3.	IPMI	52
11.4.	ATCA	52
12.	Electrical specifications of the I2C Bus	53
12.1.	Enhanced I2C (FAST Mode)	53
12.2.	Extended Addressing	54
13.	Designing the bus system	55
13.1.	Addressing	55
13.2.	Bus Expansion	55
14.	F.A.Q.: Hardware	56
14.1.	What is the maximum allowed length of the bus?	56
14.2.	I want to transport I2C over a long distance or off board	57
14.3.	I want to extend it "by the book". Is there something like a Buffer for I2C?	59
14.3.1.	NXP P87B715	59
14.3.2.	NXP P82B96	61
14.3.3.	NXP PCA9600	62

14.3.4.	Hendon 5501 / 5502	63
14.4.	Can i isolate an I2C bus? (using optocoupler or some other means)	63
14.4.1.	ADUM1250 / ADUM1251 / ADUM2250 / ADUM2251	63
14.4.2.	Homebrew	64
14.5.	What if I run out of addresses? Is there an I2C router?.....	65
14.5.1.	Using Generic Multiplexers.....	65
14.5.2.	Using Dedicated I2C Multiplexers	66
14.6.	Level shifting the I2C bus	66
14.7.	Is there something like a standalone I2C controller?	67
14.8.	Why does the clock line need to be bidirectional?.....	68
15.	F.A.Q.: Protocol	69
15.1.	Q. How do i generate a repeated start condition after the last byte?	69
15.2.	Q.What if I was in receive mode, how do i create the repeat start?	69
15.3.	Q. Is it okay to abort an ongoing transmission any time?	70
15.4.	Q. Do i need to give the ack in read mode on the last byte?.....	70
16.	Q&A SECTION: troubleshooting	71
16.1.	Q. Can i monitor an I2C bus in some way?	71
16.2.	USBee	71
16.3.	Q. Is there a way to test/debug I2C busses?.....	73
16.3.1.	Hardware Check	73
16.3.2.	Communication Check	73
16.3.3.	Corrupted Transport	74
16.3.4.	Multimaster Trouble	74
16.4.	Q. I want to experiment with I2C, Are there demo kits available?.....	74
17.	An I2C driver in PseudoCode.....	76

18.	Debugging tools.....	80
18.1.	I2C Trigger Generator	80
18.2.	Checking Who Is Controlling The Bus.....	81
19.	I2C interfacing system for THE IBM-PC.	82
19.1.	Parallel PPrinter Port Interface.....	82
19.1.1.	Software	83
19.1.2.	QuickBasic / PDS / POWERBasic / Visual basic Driver	83
19.2.	ACCESS Bus	90
19.3.	I2C In Your Computer	90
20.	Commonly used I2C devices.....	92
20.1.	I/O Expanders	92
20.1.1.	SAA1300 5-bit I/O Expander	92
20.1.2.	PCF8574 / PCF8574A 8-bit I/O expander	93
20.1.3.	PCF8575 16-bit I/O Expander	95
20.1.4.	MCP23017 MCP23018.....	95
20.1.5.	Non-volatile Expander	97
20.1.6.	Other Expanders.....	97
20.1.7.	Applications	98
20.2.	LED And LCD Display Controllers	99
20.2.1.	LCD Display Modules	101
20.2.2.	LED DISPLAY Drivers	101
20.2.3.	LED Drivers.....	102
20.3.	A/D And D/A Converters	105
20.3.1.	Principles of Digital to Analog Converters.....	105
20.3.2.	Principles of ANALOG to Digital Converters	108

20.3.3.	Things to Be Aware Of:	111
20.3.4.	Practical Converters with an I2C interface.....	114
20.4.	Audio And Video Circuitry.....	115
20.5.	EEPROM Memories	116
20.5.1.	E2Prom Technology	119
20.5.2.	FRAM Devices.....	120
20.6.	Real Time Clocks	121
20.7.	I2C Isolators.....	122
20.8.	Bus Multiplexers And Expanders	125
20.8.1.	Bus Multiplexers	125
20.8.2.	Master multiplexers.....	126
20.8.3.	Roll Your Own.....	128
21.	LabSticks I2C Introduction	129
21.1.	Board 1.....	129
21.2.	Board 2.....	131
22.	LabStick 1-1: I2C Probe	132
22.1.	Probe Hardware.....	132
22.2.	Command Set.....	135
22.3.	Base Commands.....	136
22.4.	Data Transport	136
22.5.	Simple Stream Examples.....	137
22.5.1.	Write a single byte to a slave device.....	137
22.5.2.	Write multiple bytes to a slave DEVICE	137
22.5.3.	Reading a byte from a slave.....	138
22.5.4.	Reading Multiple Bytes from a Slave:	138

22.5.5.	Reading a byte from a Sub address using restart.....	139
22.6.	Support Functions	141
22.7.	Low Level Functions	142
22.8.	Assembly drawing.....	143
22.9.	Bill Of Materials	144
23.	LabStick 1-2: Universal Power Supply	145
23.1.	Assembly Drawing	146
23.2.	Bill Of Materials	146
23.3.	Selecting the output voltage	147
24.	LabStick 1-3: 24xxx eeprom.....	148
24.1.	Devices.....	149
24.1.1.	Up to 16Kbits	149
24.1.2.	Above 16Kbits.....	150
24.2.	Usage	150
24.2.1.	Devices up to and including 24C16 (8-bit memory address).....	150
24.2.2.	Devices from 24C32 upwards (16-bit memory address).....	152
24.3.	Pitfalls with E2PROMs	152
24.3.1.	Operating voltage and voltage range	152
24.3.2.	Page writing and page sizes.....	152
24.3.3.	Summary.....	155
24.4.	Assembly Drawing	155
24.5.	Bill Of Materials	155
25.	LabStick 1-4: PWM led controller.....	156
25.1.	Address	157
25.2.	Usage	157

25.2.1.	Available registers	158
25.2.2.	Input register.....	158
25.2.3.	PCS0 and PCS1 register	159
25.2.4.	PWM0 and PWM1 register	160
25.2.5.	LED selector register	160
25.2.6.	USING as input	160
25.3.	Assembly Drawing.....	161
25.4.	Bill Of Materials.....	161
26.	LabStick 1-5: LCD / Keyboard user interface.....	162
26.1.	Initialization.....	164
26.1.1.	Device initialization	164
26.1.2.	LCD Display operation	164
26.2.	Keyboard Access	166
26.2.1.	Interrupt driven mode.	166
26.2.2.	Polled mode	168
26.3.	Circuit Board	169
26.4.	Assembly	172
27.	LabStick 1-6: LM75 (A) temperature sensor	173
27.1.	Device Address.....	174
27.2.	Usage.....	174
27.2.1.	Pointer register:	174
27.2.2.	Configuration Register (01)	174
27.2.3.	Temperature register (00).....	175
27.2.4.	Trip point register (Tos) (11)	175
27.2.5.	Hysteresis register (10)	175

27.3.	Assembly Drawing	176
27.4.	Bill Of Materials	176
28.	LabStick 1-7: PCF8563 realtime clock.....	177
28.1.	Device Address	178
28.2.	Usage	178
28.2.1.	Control 1 register.....	178
28.2.2.	Control 2 register.....	178
28.2.3.	Seconds register	179
28.2.4.	Minutes register	180
28.2.5.	Hours register	180
28.2.6.	DAYS register	180
28.2.7.	Weekdays register	180
28.2.8.	Months register	180
28.2.9.	Years register	181
28.2.10.	Alarm Minutes register.....	181
28.2.11.	Alarm Hour register	181
28.2.12.	Alarm DAY register	181
28.2.13.	Alarm Weekday register	181
28.2.14.	CLK out control register.....	181
28.2.15.	Timer control register.....	182
28.2.16.	Timer register	182
28.3.	Alarm Operation	182
28.4.	Assembly Drawing	183
28.5.	Bill Of Materials	184
29.	LabStick 1-8: 8-Bit Protected Output.....	185

29.1.	Assembly	187
29.2.	Bill Of Materials.....	189
30.	LabStick 1-9: 8-bit Protected Input	190
30.1.	Schematic	190
30.2.	Circuit Board	192
30.3.	Bill Of Materials.....	195
30.4.	Some Application Information	196
31.	LabStick 1-10: MCP4725 D/A converters	197
31.1.	Device Address.....	198
31.2.	Usage.....	198
31.2.1.	Control byte	199
31.2.2.	Data bytes	199
31.2.3.	Write datagram	199
31.3.	Read operations	200
31.3.1.	Read datagram.....	200
31.4.	Assembly Drawing.....	201
31.5.	Bill Of Materials.....	201
32.	LabStick 1-11: ADC081 / ADC101 / ADC121 A/D Converters.....	202
32.1.	Device Address.....	203
32.2.	Usage.....	204
32.2.1.	Selector register	204
32.2.2.	Conversion result register	204
32.2.3.	Alert status register.....	204
32.2.4.	Configuration register	205
32.2.5.	Low limit (underrange) trip point	206

32.2.6.	High limit (overrange) trip point.....	206
32.2.7.	Alert hysteresis register.....	206
32.2.8.	Highest and lowest conversion registers.....	207
32.3.	Write Operations.....	207
32.3.1.	8-bit write.....	207
32.3.2.	16-bit write.....	207
32.4.	Read Operations.....	207
32.4.1.	Set pointer.....	207
32.4.2.	Retrieve 8-bit.....	208
32.4.3.	Retrieve 16-bit.....	208
32.5.	assembly drawing.....	208
32.6.	Bill Of Materials.....	208
33.	LabStick 1-12 PCF8591 Combined A/D and D/A Converter.....	209
33.1.	PCA9691.....	210
33.2.	Assembly Drawing.....	210
33.3.	Bill Of Materials.....	211
34.	LabStick 1-13: POTENTIOMETER.....	212
34.1.	Functional Differences.....	213
34.2.	Device Address.....	214
34.3.	Usage.....	214
34.3.1.	Writing the potentiometer.....	214
34.3.2.	Reading.....	215
34.4.	The 'D' Version.....	215
34.4.1.	Reading.....	215
34.5.	Assembly Drawing.....	215

34.6.	Bill Of Materials.....	216
35.	LabStick 1-14: PCA9544 I2C Multiplexer	217
35.1.	Device Address.....	218
35.2.	Usage.....	218
35.2.1.	Control word	218
35.2.2.	Interrupt logic	219
35.3.	Assembly Drawing.....	220
35.4.	Bill Of Materials.....	221
36.	LabStick 1-15: PCF8574(a) / PCA9xxx Universal I/O expander	222
36.1.	Schematic.....	223
36.2.	Device Address.....	225
36.2.1.	PCF8574	225
36.2.2.	PCF8574A	225
36.3.	Usage.....	225
36.3.1.	PCF8574 / PCF8574A / MAX7328 / MAX7329	225
36.3.2.	PCA9534	227
36.3.3.	PCA9538	229
36.3.4.	PCA9554 / PCA9554A.....	230
36.3.5.	PCA9670	230
36.3.6.	PCA9672	231
36.3.7.	PCA9674 / PCA9674A.....	231
36.3.8.	PCA9500	231
36.4.	Assembly Drawing.....	232
36.5.	Bill Of Materials.....	232
37.	LabStick 1-16: SAA1064 7 segment display.....	233

37.1.	Usage	235
37.1.1.	Status register (READ ONLY).....	235
37.1.2.	Register select	235
37.1.3.	Control register.....	235
37.1.4.	Digit registers.....	236
37.2.	Assembly Drawing	237
37.3.	Bill Of Materials	238
38.	Appendix 1	239
38.1.	Part references	239
38.2.	Passive parts	239
38.3.	Semiconductors	241
39.	Appendix 2	243
39.1.	Additional Reading	243
40.	Index	244